				8212-4	2
O FES	POTENTIAL HAZARD	IOUS WASTE SITE	985.04	ing and sy Hay	• • • •
つロア	IDENTIFICATION AND PREI		6	TX 337	
submitted on this form is and on-site inspections.	mpleted for each potential hazardous spaced on available records and ma DNS: Complete Sections I and III this form in the Regional Hazardous Was System; Hazardous Waste Enforceme	y be updated on subsequent form	s as a result	miupe, lancinibbi lo	**
		IDENTIFICATION			
EXXON BAYTOWN	REFINERY	2800 Decker Dr.	",		
Baytown TXD	000782698	TX 5. 21P 2008	Har	ris	
L OWNER/OPERATOR (IL	Contact: J.E.	Hendon, Supervisor so	1id	ERHONE NUMBER	
Exxon Company	waste			428-3115	
Exxon Company	2. STATE S. COUNTY SA	+			
	simplify record and re				
CERCLA			14. 754	8-10-81	
	ESS OF PROBLEM	SMENT (complete this section is	(at)	479-5981	
. APPARENT SERIOUSNE	IL PRELIMINARY ASSESSING PROBLEM 2 MEDIUM \$\frac{\text{\tinit}\text{\tert{\text{\text{\text{\texitet{\text{\texi{\text{\text{\text{\texi\text{\texit{\texi{\texi{\texi{\texi\texi{\texi\texi{\texi{\texi\texi{\texitit{\texi{\texi{\texi{\texi{\texi{\texi{\texit{\texi}		SPECTIBE	<b>CEIVED</b> 2 5 1983	
APPARENT SERIOUSNO  1. HIGH  B. RECOMMENDATION  1. NO ACTION NEED  L. SITE INSPECTION  TENTATIVELY  5. HILL SE PERFO	IL PRELIMINARY ASSESSESS OF PROBLEM 2 MEDIUM \$\frac{1}{2}\$. LOW \$\frac{1}{4}\$ N  ED (no hazerd)  NEEDED ICHEOULED FOR: RMED 5Y:	IONE S. UNKNOWN  2. IMMEDIATE SITE IN 2. TENTATIVELY IC	SPECTIBE	<b>CEIVED</b> 2 5 1983	
APPRAISHT SERIOUSNE  1. HIGH  3. RECOMMENDATION  1. NO ACTION NEED!  1. SITE INSPECTION  2. TENTATIVELY 3	IL PRELIMINARY ASSESSIONS OF PROBLEM 2 MEDIUM \$\frac{1}{2}\$, LOW \$\frac{1}{4}\$ N  ED (no hassed)  NEEDED NEMEDULED FOR:  HUMBOULED FOR:	IONE S. UNKNOWN  2. IMMEDIATE SITE IN 2. TENTATIVELY IC	SPECTIPE MAR	<b>CEIVED</b> 2 5 1983	<b>▲</b> (Th)
A. APPARENT SERIOUSNE  1. HIGH  B. RECOMMENDATION  1. NO ACTION NEEDING  1. SITE INSPECTION  2. TENTATIVELY S  5. MILL BE PERFO	IL PRELIMINARY ASSESSESS OF PROBLEM 2 MEDIUM \$\frac{1}{2}\$, LOW \$\frac{1}{4}\$ N  ED (no hassers)  NEEDED SCHEDULED FOR:  RIMED SY:  TION  URANTIC OF THE STATE OF	IONE S. UNKNOWN  2. IMMEDIATE SITE IN  TENTATIVELY SC  b. MILL BE PERFORM  4. SITE INSPECTION N  4. SITE INSPECTION N  4. SITE INSPECTION N  ELL TELEPHONE NUMB  2. TELEPHONE NUMB  2. TELEPHONE NUMB  2. TELEPHONE NUMB  2. TELEPHONE NUMB  3. OTHER (specify)	SPECTION MAR	<b>CEIVED</b> 2 5 1983  13. 34 6 700 - 347. 2-24-83	
APPARENT SERIOUSNE  1. HIGH  3. RECOMMENDATION  1. NO ACTION NEED  1. SITE INSPECTION  2. TENTATIVELY  3. WILL BE PERFO  7. PREPARER INFORMAT  1. NAME  1. NAME  1. Deborah A. Vai  A. SITE STATUS  1. ACTIVE (Those ind municipal sizes which are forward municipal sizes which are	IL PRELIMINARY ASSESSESS OF PROBLEM 2 MEDIUM \$\frac{1}{2}\$. LOW \$\frac{1}{4}\$ N  ED (no hazard)  NEEDED ICHEDULED FOR:  RWED 9Y:  100  111. S17  112. S17  113. S17  114. S17  115. S17  115. S17  116. S17  117  117  117  118  119  119  119  1	IONE S. UNKNOWN  2. IMMEDIATE SITE IN  1. TENTATIVELY SO  5. WILL BE PERFORM  2. TELEPHONE NUMB  2. TELEPHONE OF CONTINUING USES  CONTROLLED OF CONTROLLED OF CONTROLLED OF CONTINUING USES  CONTROLLED OF CONTROLL	SPECTIPE  SPECTIPE  MAR  SEEDED (town)  EN  In incidents III of the acts for 1	CEIVED 2 5 1983  Fronty)  2 - 24 - 83	where urred.)
APPARENT SERIOUSNE  1. HIGH  2. RECOMMENDATION  1. NO ACTION NEED  1. SITE INSPECTION  2. SITE INSPECTION  3. WILL BE PERFO  4. SITE STATUS  1. NAME  1. NAME  1. NAME  1. ACTIVE (Those Indianal State Which are in a continuing Sesse, are quently)  1. IS GENERATOR ON SIT	IL PRELIMINARY ASSESSESS OF PROBLEM 2 MEDIUM \$\frac{1}{2}\$. LOW \$\frac{1}{4}\$ N  ED (no hazard)  NEEDED ICHEOULED FOR:  HUMBD 9Y:  III. SIT  Jumping or being used being used being used in dispense of dispense of dispense of dispense of the state of the	IONE S. UNKNOWN  2. IMMEDIATE SITE IN  a. TENTATIVELY SC  b. MILL BE PERFORM  4. SITE INSPECTION N  4. SITE INSPECTION N  2. TELEPHONE NUMB  2.14-742-4521  REINFORMATION  1. OTHER (apecity)  Include sites that include such no regular or continuing uses to the continuing uses	SPECTIPE SPECTIPE MAR SECOLD (Idw p  In incidents life in incidents life 821, 282;	CEIVED 2 5 1983  TOTAL STATE OF THE STATE OF	Znere,
APPARENT SERIOUSNE  1. HIGH  2. RECOMMENDATION  1. NO ACTION NEED  1. SITE INSPECTION  2. TENTATIVELY S  3. HILL SE PERFO  2. PREPARER INFORMAT  1. NAME  Deborah A. Val  3. SITE STATUS  The STATUS	IL PRELIMINARY ASSESSESS OF PROBLEM 2. MEDIUM \$\frac{1}{2}\$. LOW 4. N  ED (no hassed)  NEEDED ICHEOULED FOR:  TON  III. SIT  Vacrial or being used weeken, or disposed if in more medium.  ET  Q. 1F APPARENT SERIE  e)  O. 1F APPARENT SERIE  e)  O. 1F APPARENT SERIE  e)	IONE S. UNKNOWN  2. IMMEDIATE SITE IN  a. TENTATIVELY SC  b. MILL BE PERFORM  4. SITE INSPECTION N  4. SITE INSPECTION N  2. TELEPHONE NUMB  2.14-742-4521  REINFORMATION  1. OTHER (apecity)  Include sites that include such no regular or continuing uses to the continuing uses	SPECITIBLE  MAR  SECOND (IOW P	CEIVED 2 5 1983  TOTAL STATE OF THE STATE OF	urred.)
APPLATENT SERIOUSNE  1. HIGH  RECOMMENDATION  1. NO ACTION NEED  1. SITE INSPECTION  2. SITE INSPECTION  3. TENTATIVELY  5. WILL BE PERPO  1. NAME  Deborah A. Val  3. STE STATUS  3. ACTIVE (Those Indicated Are In	IL PRELIMINARY ASSESSESS OF PROBLEM 2 MEDIUM \$\frac{1}{2}\$, LOW \$\frac{1}{4}\$ N  ED (no hassers)  NEEDED ICHEOULED FOR:  RMED SY:  ILL SIT  Vaccing of being used weeten;  of infra-  II. SIT  Vaccing of the state o	IONE S. UNKNOWN  2. IMMEDIATE SITE IN  a. TENTATIVELY SC  b. MILL BE PERFORM  4. SITE INSPECTION N  4. SITE INSPECTION N  2. TELEPHONE NUMB  2.14-742-4521  REINFORMATION  1. OTHER (apecity)  Include sites that include such no regular or continuing uses to the continuing uses	SPECTIPE SPECTIPE MAR SECOLD (Idw p  In incidents life in incidents life 821, 282;	CEIVED 2 5 1983  TOTAL STATE OF THE STATE OF	UND 0 4 19

			ON OF SITE ACTIVITY		
		Buls (*18022 13 1862 1	CHAILA DA BRENES . L.	The representate some	1.
A. THANSPOR	TER (*)	S. STORER	C. TREATER	V V	3. 31589129
1. 2014	X 1. 2142		1. FILTHATION	Y ANG .	
2. 1HID	2. 1UAF		1. HONERATION	Y :	1.74
1. SARGE	11. SAUM	•	1. /OLUME * EDUCTIO	3. 34EN 3	UNA
4 TRUCK		DAUDRE SYDEA.	4. RECYCL NG/RECO		
1. 210 EL.NE	1 15. TANK	. 36104 03040	1. INEM./ Part	THENT! IL HIGHIS	HT SUMPING
. 2THER ( (pecify):	4. 37HC	A (egecity):	1. 104001644 1984		
			7. 44378 314 45940		<b>GROUND HIES-GN</b>
			8. 104 / EN T RECOVE 8. 3THER (046/17):		
of most of the	e inactive fac	ilities. Curr November 1980.	s from the Bayt ry property. A ently there are (see attachmen	n attached map	aives the l.
A. TASTE TYPE		V. WASTE RELAT	HOITAMEDAMI CE		
_ I. UNKNOWN X	7 mania X	7 20010 A	strage = 1 c	45	
		6. INERT	FLAMMABLE		
	nt Office	logo equi se manúseus.	avellages, etc. Jeisto.		
10. OTHER (speeds  C. VASTE CATEGORIE  L. Are recents of wast  Yes; Main Plan  2. Estimate the amo	nt Office	tems equit to manufects.	avendaes, est, deios. ingory: maix 'X' to india		
TIO. OTHER (Specific Are resents of west Yes; Main Plan 2 Estimate the smo	nt Office	logo equi se manúseus.	S. CHEMICALS	ate which wester are  • SQL:03	I. STHER
10. OTHER (specific waste care and see allungs and see allungs and see	nt Office unitable) spenty in  t Office unitspecity unit of me  b old  andunt	come equi to manifests.  codure) of waste by cal  c. SCLVENTS  AMOUNT	1 CHANGE TO INCIDENT TO INCIDENT AND IN THE STATE OF THE	. SOLIOS	3.26 X 10 <sup>9</sup>
10. OTHER (specific waste care and see allungs and see allungs and see	nt Office	centure) of waste by call c. SQLVENTS	14 CANADA TO MALE TO MALE AMOUNT 106 MALE AMOUNT 106 MALE AMOUNT 107 WEALURE	AMERINT	I. STHER
io. OTHER (specific control of the c	nt Office  unt(specify unt of me  b cil  andunt  15 99 x 10 <sup>6</sup> unt 22006 and the	come equi to manifests.  codure) of waste by cal  c. SCLVENTS  AMOUNT	1 CNEWGALS AMOUNT 309 X 106 CINT 37 MEALURE  1bs/yr.	Unknown	3.26 X 10 <sup>9</sup>
io. OTHER (specific control of the c	nt Office unitipedity unit of me  anduri  15 99 x 10 <sup>6</sup> unitipedity unit of me  byr.	eadury) of waste by cal  a. SCLVENTS  AMOUNT  UNIT OF WEASURE  (X!(!) HALDGENATED  IOLVENTS	Segory mark 'Y to indice to control of the control	Unknown	3.26 X 109
id. OTHER (specific control of the c	nt Office unitipedity unit of me  anduri 15 99 x 10 <sup>6</sup> unitipedity 15/yr.  X**(**) duty	cedure) of water by cat  a. SCLVENTS  AMOUNT  UNIT OF WEASURE  (X*!(1) HALDGENATED  ICLVENTS	AMOUNT 309 X 106  Second and the control of the con	UNKNOWN UNIT OF WESTURE	1. STHER AMBURT 3. 26 X 10 UNITED WEASURE  EXT. PARAMACEUT.
id. OTHER (speed) C. WASTE CATEGORIE I. Are resents of wast Yes; Main Plan 2. Estimate the amo a. Studge AMOUNT INKNOWN UNIT OF WEASURE  X** (1) SAINY. **GREENTS  **COMMETALS **STUDGES	nt Office unitipedity unit of me  anduri 15 99 x 10 <sup>6</sup> unitipedity 15/yr.  X**(**) duty	come equi se ganifesto.  a. SQLVENTS  AMQUNT  INFRAGUN  UNIT OF MEASURE  (X*1) HALDGENTED  IGU-VENTS  102-VENTS	TO STATE TO LINE TO LI	UNKNOWN UNKTOP WE HURE  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 AS	1. STHER AMOUNT 3. 26 X 10 9 UNIT OF MEASURE  (XI) PARAMACEUT.  (2) HOSHITAL  (3) RADIGACTIVE
id. OTHER (specific control of the c	Toffice  Solitated Specify int Office  Solitated Specify inte of me  Solitated Specify inte of me  ANGUNT  15 99 X 10 <sup>6</sup> UNITED SPECIFICATION  TO SULV  X 10 OLLY  X 21 OTHER (SPECIF)	come equi se ganifesto.  a. SQLVENTS  AMQUNT  INFRAGUN  UNIT OF MEASURE  (X*1) HALDGENTED  IGU-VENTS  102-VENTS	ACCEPTION OF THE PROPERTY OF T	UNKNOWN  UNKNOWN  UNKNOWN  UNKTOP WE NUME  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  120 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  1	1. STHEM AMOUNT 3. 26 X 10 9 UNIT OF MEASURE  TYTH SCARGATORY  131 HOSENTAL  131 HOSENTAL  131 HOSENTAL  132 HADIDACTIVE  LIST STANDACTIVE  LIST STANDACTIVE  SUIT WATER
ID. OTHER (specific of the control o	To training speaky in the Office sum(speaky must of me automated and the speak	come equi se ganifesto.  a. SQLVENTS  AMQUNT  INFRAGUN  UNIT OF MEASURE  (X*1) HALDGENTED  IGU-VENTS  102-VENTS	ACCOUNTY TO INCIDENT TO INCIDE	UNKNOWN UNKTOP WE HURE  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 AS	1. STHER AMOUNT 3. 26 X 10 UNIT OF MEASURE  "XI III SAAGRATORY III HOSPITAL III HOSPITAL III HOSPITAL III HOSPITAL III HOSPITAL III HOSPITAL III STHER(**PRIIT)
ID. OTHER (SPECIAL OF STREET)  C. WASTE CATEGORIE  I. Are resents of west YES; Main Plan  2. Estimate the amo  a. SLUDGE  AMOUNT  INKNOWN  UNIT OF WEASURE  IN GLOBERTS  IN GLOBERTS  IN METALS  IN METALS  IN METALS  IN OTHER (SPECIAL OF STREET)  Wastes deposit	To training spenty in the office sent spenty must of me sent spenty must of me sent spenty in the sent spent	COME SIGN SE SIGNIFICATION  a. SCLVENTS  AMOUNT  INFROMM  UNIT OF MEASURE  (X' (1) HALDENATE: 10LVENTS  12) AGNINALIGAN  130LVENTS  131 OTHER MARKETY	TO THE COLORS OF	UNKNOWN  UNKNOWN  UNKNOWN  UNKTOP WE NUME  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  120 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  1	1. STHEM AMOUNT 3. 26 X 10 9 UNIT OF MEASURE  TYTH SCARGATORY  131 HOSENTAL  131 HOSENTAL  131 HOSENTAL  132 HADIDACTIVE  LIST STANDACTIVE  LIST STANDACTIVE  SUIT WATER
ID. OTHER (SPECIAL CO. C. ASSTE CATEGORIE I. AND SECURITY OF MEASURE AND ALLIUGE ALLIU	To training spenty in the office sent spenty must of me sent spenty must of me sent spenty in the sent spent	COME SIGN SE SIGNIFICATION  a. SCLVENTS  AMOUNT  INFROMM  UNIT OF MEASURE  (X' (1) HALDENATE: 10LVENTS  12) AGNINALIGAN  130LVENTS  131 OTHER MARKETY	SEGOTY: DATE Y TO INCIDENT AND IN TO INCIDENT AND IN TO INCIDENT AND IN TO INCIDENT AND INCIDENT	UNKNOWN  UNKNOWN  UNKNOWN  UNKTOP WE NUME  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  120 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  1	1. STHEM AMOUNT 3. 26 X 10 9 UNIT OF MEASURE  TYTH SCARGATORY  131 HOSENTAL  131 HOSENTAL  131 HOSENTAL  132 HADIDACTIVE  LIST STANDACTIVE  LIST STANDACTIVE  SUIT WATER
ID. STHER (specific control of the c	To training spenty in the office sent spenty must of me sent spenty must of me sent spenty in the sent spent	COME SIGN SE SIGNIFICATION  a. SCLVENTS  AMOUNT  INFROMM  UNIT OF MEASURE  (X' (1) HALDENATE: 10LVENTS  12) AGNINALIGAN  130LVENTS  131 OTHER MARKETY	AND THE STATE OF T	UNKNOWN  UNKNOWN  UNKNOWN  UNKTOP WE NUME  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  120 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  1	1. STHEM AMOUNT 3. 26 X 109 UNITED WEADURE  TYTH SCARGACTUL  131 HORST-AL  131 HORST-AL  131 HORST-AL  132 HADIDACTIVE  LESS STHEMPSONIES  SOUR WATER
ID. OTHER (SPECIAL CO. C. ASSTE CATEGORIE I. AND SECURITY OF MEASURE AND ALLIUGE ALLIU	To training spenty in the office sent spenty must of me sent spenty must of me sent spenty in the sent spent	COME SIGN SE SIGNIFICATION  a. SCLVENTS  AMOUNT  INFROMM  UNIT OF MEASURE  (X' (1) HALDENATE: 10LVENTS  12) AGNINALIGAN  130LVENTS  131 OTHER MARKETY	SEGOTY: DATE Y TO INCIDENT AND IN TO INCIDENT AND IN TO INCIDENT AND IN TO INCIDENT AND INCIDENT	UNKNOWN  UNKNOWN  UNKNOWN  UNKTOP WE NUME  121 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  129 ASSESTED  120 ASSESTED  120 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  127 ASSESTED  128 ASSESTED  129 ASSESTED  120 ASSESTED  121 ASSESTED  121 ASSESTED  122 ASSESTED  123 ASSESTED  124 ASSESTED  125 ASSESTED  125 ASSESTED  126 ASSESTED  127 ASSESTED  1	1. STHEM AMOUNT 3. 26 X 10 9 UNIT OF MEASURE  TYTH SCARGATORY  131 HOSENTAL  131 HOSENTAL  131 HOSENTAL  132 HADIDACTIVE  LIST STANDACTIVE  LIST STANDACTIVE  SUIT WATER

Continued From Page 2 V. MASTE RELATED INFORMATION (continued) Spent Octivated carbon Evaporation Pond Sludge AFI Separator sludge Tank Bottoms Monethanolamine Slopoil emulsion solids Chemical contaminated scrap.

4. Additional comments on Nagrative description of Struction Known or Reported Treats at the Site. VI. HAZARD DESCRIPTION POTEN-O. DATE OF INCIDENT (Souday.yr.) A. TYPE OF HAZARD E. REMARKS HAZARD 1. NO HAZARD 2. HUMAN HEALTH S. NON-WORKER ---S. OF WATER SUPPLY OF FOOD CHAIN CONTAMINATION . CONTAMINATION DAMAGE TO 10. FISH KILL 11. CONTAMINATION 12. NOTICEABLE COORS S. CONTAMINATION OF SOIL 4. PROPERTY DAMAGE IS. FIRE OR EXPLOSION 16. SPILLS/LEAKING CONTAINERS/ T. SEWER, STORM IS. EROSION PROSLEMS 18. INADEQUATE SECURITY 20. INCOMPATIBLE WASTES 21. MIDNIGHT DUMPING 2. OTHER (specify): Potential hazard cannot be determined

EPA Form T2070-2 (10-79)

PAGE 3 OF 4

As-15 ...

Continue On Reverse

-		T. PERMIT HET	3M47'3M
HOICATE ALL APPLICABLE P			ttached list
- LABORS SERVIT 1	200 21 14 7		7 3/ 5 37 37 37 37 37 1 1 1 m n
LA AIR PERMITS			10.42171
	CHATTER X		
		A TERM DISPUSE	
10. OTHER ( medity):			
N COMPLIANCE?	_		
		1. JNKNOWN	
4 WITH RESPECT TO COM !*	quiation neme a man. H	"_ Industri	al SolidWaste disposal
	VIII.	AST REGULATO	RY ACTIONS
A. HOME 3.	YES (Austrance Selow	,	
known			
	IX. MSPE	ידועודטג אסודט	past or in-going)
A. HOME T 3.	Z3 (someters treme L.	2.2. h 4 3410#1	
1. TYPE OF ACTIVITY	1 DATE OF	1 254404460	4. 3E3CRIPTION
	9437 ACTION (00. 447, 5 /T.)	(EPA/State)	
spection	9-27-82	TDWR	Ind. Waste Disposal Compliance
			1
	X. REM	EDIAL ACTIVITY	(saat or on-going)
₩ A. NONE - □ 9.	YES (complete items ).	2. 3. h 4 heigen	
	1.2479.20	1. PERFORMED	
	( AST ACTION	(EPA State)	4. GESCAIPTION
. 1. TYPE OF ACTIVITY			
. 1. TYPE OF ACTIVITY		1	
. 1. TYPE OF ACTIVITY			
I. TYPE OF ACTIVITY			
1. TYPE OF ACTIVITY			
I. TYPE OF ACTIVITY			
I. TYPE OF ACTIVITY			
		I through X, fill	out the Preliminary Assessment (Section II)
OTE: Based on the informa	idon in Sections II		out the Preliminary Assessment (Section II)
	idon in Sections II		

#### ATTACHMENT A

# POTENTIAL HAZARDOUS WASTE SITE IDENTIFICATION AND PRELIMINARY ASSESSMENT SUPPLEMENT SHEET

Instruction - This sheet is provided to give additional information in explanation of a question on the form T2070-2.

orresponding umber on form	Additional Remark and/or Explanation
I.i.	polyisobutylene-isoprene type rubber; cyclohexane, ethylbenzene, ortho-xylene & paraxylene; aromati: concentrate benzene, ethylene, isobutylene, linear parrafin and propylene Exxon Company, U.S.A. Baytown Refinery produces butane, gasoline, lubricating oils, aromatic concentrate and solvents distillate and residual fuel oils, light hydrocarbons, lubricants.
II.B.4.	FIT should be tasked to locate the groundwatermonitoring well: and to determine if further monitoring is necessary.
IV.E.	A review of state, hazit and RCRA files has found that the inactive areas have been closed, with sludge and contaminated soils removed to other facilities either on or off-site. However, because of the age of the site, leachate migration is possible.
*	A DWR solid waste disposal compliance monitoring inspection he 1 on September 27, 1982 found the facility to be compliant.
	Standard groundwater continuous wells are sampled quarterly. Sample summary results from February 1982 are attached. They indicate some groundwater contamination with respect to lead, silver, and coliform bacteria. The other elements listed are marginally over allowable limits.
	Since the available file information does not specify the locations of these monitoring wells, recommend that the FIT becasked to determine their locations to establish whether additional wells are required, obtain latest sample results (file information is one year old) and investigate the advisability of sampling neighboring residential wells.

#### ATTACHMENT I

# EXXON BAYTOWN REFINERY AND CHEMICAL PLANT SOLID WASTE REGISTRATION NUMBER 30040

## SAMPLING DATE - FEBRUARY 15-18, 1982


### ANALYSES GREATER THAN IPDWS


Parameter	11-11								Well Number							-		
. di diletter	Limit	1.	2	3	4	5*	6	7	8	9	10	11	12*	13*	14	15	16	Ć
Barium	1.0 mg/L				1.9					1.12		1.5						
Cadmium	0.01 mg/L	0.02			0.02		0.03											
luoride	2.4 mg/L					3.45								3.45				
ead	0.05 mg/L			0.1	0.1		0.2	0.1	0.1					,,,,				
ilver	0.05 mg/L				0.07		0.2		0.21		0.10							
ross Alpha	15 pCi/L	33_46	19_20															
oliform Bacteria	1/100 ml	1100		4		39									9	4	93	

Upgradient Wells

SSH: sth 4/12/82







	TTACHMENT E-1	
acility	Status	Area (Acres) Closure
ict No. 1	Inactive Land treatment	56 neverused
ict No. 2	Active Landfarm	43
ict No. 3	Inactive Land spreading	1.43 1925-1953
ict No. 4	Inactive Landfill	29
ict No. 5	Active Landfarm	20 7
ict No. 6	Active Balance Pit	0.10
ect No. 7	Active Balance Pit	0.10
ict No. 8	Active Caustic Disposal	*
act No. 9	Active Caustic Oxidation	0.90
act No. 10	Active Sour Whit	7.50
ict No. 11	Active Sour Water Unit	*
act No. 12	Inactive Lagoon	2.76
act No. 13	Inactive Lagon	6.24
act No. 14	Inactive Landfill	2.0 1972
act No. 15	Inactive Landtreatment	4.0 1-1973
act No. 16	Inactive Land treatment	4.0 1-1973
act No. 17	Inactive Land treatment	10.0 1972
act No. 18	Inactive Land treatment	3.0 1972-73
act No. 19	Inactive Landfill	1.0 1972-23
act No. 20	Inactive Land treatment	10.0 1973
act No. 21	Inactive Landtreatment	5.0 1972-73
act No. 22	Inactive Landfill	50.0 1919-1971 bldg.
act No. 23	Inactive Lagoon	2.0 ? grassy area
act No. 24	Inactive Land treatment	5.0 ? ) now part of .
act No. 25	Inactive Land treatment	5.0 ? Storage area
act No. 26	Inactive Land treatment	12.0 2 2 yet
act No. 27	Inactive Land treatment	5.0 ? ATTACHMENT
Total acreage for	facilities No. 8 and 11 is 0.8 acres.	9-3

· I C. 2.

Page 1 of 6

#### Table III I Cancrated Hezerdous Wastes and Management Activities

Verbal Description	TDWR Sequence	TDWR Waste Code	EPA Hazard	EPA Hazardous	Off-Site	Waste Management Activities (Check applicable items) On-Site			Annual Quantity Generated	SIC Code and
of Waste	Number	Number	Code	Waste No.	Disposal	Storage 1	Processing <sup>2</sup>	Disposel	(lbs)	Process
Lay Containing Oil		279810	<u>T</u>		<u>x</u>				.05x106	2911 Clay Treatir 2911 Product's
Light Cracked Fuels	_ 5	179490	T	K049	1-07-01-	-111		X	1.9x106	Storage
Sediment Containing TEL		150220	<u>_T_</u>	K052	_x_				.14x106	2911 Product's Storage . 2911 Wastewater
API Separator Sludge	10	240260	T	K051				X	14x10 <sup>6</sup>	Treatment
Residue from Crude Oil Tanks Waste Pastic with	17	250060	_T	(1)	<u>x</u>			5	4 <u>.7x10</u> 6	2911 Crude Oil Storage
Isopropunol	19	180640	<u> </u>	(1)	_x				10.5x10 <sup>6</sup>	2821 Polypropyler
Butyl Rubber Sludge Paint Waste, Epoxy	_21_	150550	<u> </u>	_(1)					.93x10 <sup>6</sup>	2822 Butyl 2911 Painting
Pased Pased	22	150840	I,T	F005	_x_			1	.32x106	Activities
Acid Waste With	_23_	111830	<u>T</u>	_NA	_NA_				No Longer	Generated
Acétophenone	24	108880	C,I	_NA	_NA_				No Longer	Generated
Solid Organic Peroxide Organic Peroxide With	25	181540	<u>_1</u>	_NA	_NA_				No Longer	Generated
Mineral Oil	26	111940	<u>I</u>	NA	NA_				No Longer	Generated

(1) Being tested for the following hazardous waste characteristics: ignitability, corrosivity, reactivity, and EP toxicity.

<sup>&</sup>quot;Storage" means the interim containment or control of waste after generation and prior to ultimate disposal.

<sup>&</sup>lt;sup>2</sup> "Processing" means the extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of hazardous waste so as to render such waste nonhazardous, safer for transport, amenable for recovery, amenable for storage, or reduced volume. The "transfer" of solid

AS LEGIBLE AS THIS LABEL, IT IS DUE TO THE QUALITY

OF THE ORIGINAL.

Page 2 of 6



#### Table iII-I Generated Hazerdous Wastes and Management Activities

Vocasi Description	TDWR Sequence	TOWR Wests Code	EPA Hazard	EPA Hezardous	Off-Site		gament Activities plicable Items) On-Site		Estimated Annual Quantity Generated	SIC Code and
of Weste	Number	Number	Code	Wests No.	Disposel	Storses	Processing <sup>2</sup>	Disposal	(lbs)	Process
War Sulfur Tank Bottoms from	27	270240	R	(1)	<u>x</u>				1.8×106	2911 Sulfur Conversion 2911
He -Cracked Fuels	28	112090	T	K049				x	.09x106	Product's Storage
Stretford Slurry Froth Liquid Containing	30	150990	<u>T</u>	(1)	<u>x</u>				·18x106	2911 Sulfur Conversion 2821
Xylene and Pentane	31	110030	<u> I</u>	F003	<u>x</u>				.13x106	Polymerization
Miscellaneous Alcohol Wastes Sulfur With	32	109650	I,T_	F005	<u>x</u>				.07x106	2869 Organic Chemical 2911
Stretford Salts	33	172310	<u>T</u>	(1)	<u>X</u>	X			71.9x10 <sup>6</sup>	Sulfur Conversion
Rust Scale With Toluene and Xylene Debris Contaminated	34	179210	I <u>T</u>	F003 &	<u>x</u>				.04x10 <sup>6</sup>	2911 Aromatic Extraction
With Class I	36	179240	IT	(1)	<u>x</u>				.30x106	2911 Turnarounds
Waste Plastic W: Xylene Indostrial Wastewater	37	182050	<u> I</u>	F003	<u>x</u>				1.2x10 <sup>6</sup> _	2821 Polypropylene 2911 Wastewater
W/O unic Compounds	39	109080	T	(1)	<u>x</u>				(2)	Treatment Upset
Zinc Oxide Catalyst Scale & Rust from	NA	172500	R	(1)	<u>x</u>				0.08x10 <sup>6</sup>	2911 Hydrogen Generation
Sour Water Unit	NA	148970	C,T	(1)	<u>x</u>				0.07x10 <sup>6</sup>	2911 Turnarounds

Being tested for the following hazardous waste characteristics: ignitability, corrosivity, reactivity, and EP toxicity.
 This low volume, high strength wastewater stream will only be generated if problems develop in our wastewater treatment facility.
 "Storage" means the interim containment or control of waste after generation and prior to ultimate disposal.

<sup>3 &</sup>quot;Processing" means the extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of hazardous waste so as to render such weste nonhazardous, safer for transport, amenable for recovery, amenable for storage, or reduced volume. The "transfer" of solid waste by struck, and the safety of a correct in conveying or transporting solid waste by struck.

Page 3 of 6

STOREST STORES THE THE PROPERTY OF THE

#### Tuble III-I Genurated Hazardous Wastes and Management Activities

Verbel Description	TOWR Sequence	TUWH Waste Code	EPA Hazard	EFA Hezardous	Off-Site		pement Activities plicable items) Un-Sire		Estimated Annual Quantity Gamerated	SIC Code and
of Weste	Number	Number	Cade	Waste No.	Disposel	Storage 1	Processing 2	Disposel	(tbs)	Process
Caustic	NA	NA	<u>-6</u>	(1)	<u> </u>	A STATE OF	x		19×10 <sup>6</sup>	2911 Caustic
Spanc-Caustic	NA NA	NA	_ <u>C</u>	(1)		-	X		290x106	2911 H2S Removal
Sour Water	NA	NA	C	(1)		2017	х	-	3.26×109	2911 Water Stripping
Insulation W/Asbestos	20	170750	T	(1)	<u>x</u>				630 cu yd	2911 Insulation
			_							
<del>.</del>			_							
<u>a</u>										
-										

(1) Being tested for the following hazardous waste characteristics: ignitability, corrosivity, reactivity, and EP toxicity.

<sup>&</sup>quot;Storage" means the interim containment or control of waste after generation and prior to ultimate disposal.

Processing" means the extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of hazardous waste so as to render such waste nonhazardous, safer for transport, amenable for recovery, amenable for storage, or reduced volume. The "transfer" of solid waste for rease or disposal as used above, does not include the actions of a carrier in conveying or transporting solid waste by truck.

# RETAKE TARGET

Because of suspected operator error or camera malfunction, the preceding page was refilmed and appears as the next image.

-

Parameter to the second second

Page 3 of 6

#### Table III-I Generates Hazardous Wastes and Management Activities

Verbal Description	TDWR Sequence	TDWR Wests Code	EPA Hazard	EPA Hazardous	Off-Site	(Check ap	plicable (tems) On-Site		Estimated Annuel Quentity Generated	SIC Code and
of Weste	Number	Number	Code	Weste No.	Disposel	Storage '	Processing 2	Disposel	(lbs)	Process
Caustic	NA 2	NA		(1)			x		19×106	2911 Caustic Neutralization
Spenc Caustic	NA	NA	_ <u>c</u>	(1)		14.	x		290x106	2911 H <sub>2</sub> S Removal
Sour Water	NA .	NA .	С	(i)		TOTAL MENSOR	x		3.26×109	2911 Water Strippi
Insulation W/Asbestos	20	170750	T	(1)	<u>x</u>				630 cu yd	2911 Insulation
,										
<b>1</b>										
<u> </u>										
										-

(1) Being tested for the following hazardous waste characteristics: ignitability, corrosivity, reactivity, and EP toxicity.

<sup>1 &</sup>quot;Storage" means the interim containment or control of waste after generation and prior to ultimate disposal.

<sup>2 &</sup>quot;Processing" means the extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of hazardous waste so as to render such waste nonhazardous, safer for transport, amenable for recovery, amenable for storage, or reduced volume. The "transfer" of solid waste for rause or disposal as used shows, does not include the actions of a certific in conveying or transporting solid waste by truck.

Page 4 of 6

#### Table III-I Generated Hazardous Wastes and Management Activities

Verbal Conscipcion	TDWR Sequence	TDWR Waste Code	EPA Hezerd	EPA Hezerdous Waste No.	Weste Management Activities			-	Annual Quantity Generated	SIC SIC
of Weste	Number	Number	Code		Disposel	Storage !	Processing <sup>2</sup>	Disposel	(lbs)	Process
Acetone	NA	NA	I	U002	See At	tachment	111-1			
Aniline	NA	NA	1_	U012	See A	ttachment	I <u>II-1</u>			
enzene	NA	NA	<u>T</u>	U019	See A	tt <u>achmen</u> t	I <u>II-1</u>			
nzo(a) Pyrene	NA	NA	<u>T</u>	U022	See A	ttachment	111-1			
N-Butyl Alcohol	NA	NA	<u> </u>	U031	See A	ttachment	I <u>II-1</u>			
Chlordane	NA	NA	<u>T</u>	<u>U036</u>	See A	ttachment	I <u>II-1</u>			
Chlorobenzene	NA	NA	_T_	U037	See A	tt <u>achmen</u> t	I <u>II-1</u>			
Chloroethene	NA	NA	<u>T</u>	<u>U043</u>	See A	tt <u>achmen</u> t	I <u>II-l</u>			
· Chloroform	NA	NA	<u>I,T</u>	U044	See A	tt <u>achmen</u> t	111-1			•
Cresols	NA	NA	<u>T</u>	U052	See A	tt <u>achmen</u> t	I <u>II-1</u>			
esylic Acid	NA	NA	<u>T</u>	<u>U054</u>	See A	tt <u>ach</u> dent	111-1	_		

<sup>&</sup>quot;Storage" means the interim containment or control of waste after generation and prior to ultimate disposal.

<sup>2 &</sup>quot;Processing" means the extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of hazardous waste so as to render such waste nonhazardous, safer for transport, amenable for recovery, amenable for storage, or reduced volume. The "transfer" of solid waste for reuse or disposal as used above, does not include the actions of a carrier in conveying or transporting solid waste by truck, ship, pipeline, or other means.

OF THE ORIGINAL.



Page 5 of 6

#### Table III-I Generated Hazardous Wastes and Management Activities

Verbal Description	- The state of the	EPA Hazard	EPA Hazardons	Off-Site		gement Activities - pplicable items) On-Site	Annual Quantity Generated	SIC Code and		
of Waste	Number	Number	Code	Waste No.	Disposal	Storage 1	Processing <sup>2</sup>	Disposel	(lbs)	Process
Cyclohexane	NA	_NA	<u>I</u>	<u>U056</u>	Sea Att	achment	II <u>I-1</u>			
methylamine	NA	NA	<u>I</u>	U092	See Att	achment	111-1			
Ethyl Ether	NA	NA	I,T	U117	See Att	achment	II <u>I-1</u>			
Hydrazine	NA	NA	R,T	U133	See Att	achment	II <u>I-1</u>			
Hydrofluoric Acid	NA	NA	C,T	U134	See Att	achment	II <u>I-1</u>			
Lead Acetate	NA	NA	<u>T</u>	U144	See Att	achment	II <u>I-1</u>			
Mercury	NA	NA	<u>T</u>	<u>U151</u>	See Att	achment	111-1			
Methanol	NA	NA	<u>T</u>	<u>U154</u>	See Att	achment	111-1			
Methyl Ethyl Ketone	NA	NA	I,T	U159	See Att	achment	111-1			-
hyl Isobutyl Ketone	NA	NA	<u>T</u>	U161	See Atta	achment	111-1			
maphthalene	NA	NA	<u>T</u>	U165	See Atta	achment	111-1			
Phenol	NA	_NA	<u>T</u>	<u>U188</u>	See Atta	achment	111-1			

<sup>1 &</sup>quot;Storage" means the interim containment or control of waste after generation and prior to ultimate disposal.

<sup>&</sup>lt;sup>1</sup> "Processing" means the extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of hazardous waste so as to render such waste nonhazardous, safer for transport, amenable for recovery, amenable for storage, or reduced volume. The "transfer" of solid waste for reuse or disposal as used above, does not include the actions of a cerrier in conveying or transporting solid waste by truck, ship, pipeline, or other means.





Page 6 of 6

## Table III-1 Generated Hazardous Wastes and Management Activities

Verbal Description of Weste	TDWR Sequence Number	TDWR Waste Code Number	EPA Hazard Code	EPA Hazardous Waste No.	Weste Management Activities ————————————————————————————————————			Annual Quantity Generated	SIC Code	
					Disposal	Storege 1	Processing <sup>2</sup>	Disposel	(lbs)	and Process
Pyridine	NA	NA	<u>T</u>	U196	See A	ttachment	III-1			
Tetrachloromethane	NA	NA	T	U211	See A	ttachment	III-1			
roluene	NA	NA	<u>T</u>	U220	See A	ttachment	111-1			
Toxaphene	NA	NA	_T	U224	See A	ttachment	III-1			
1,1,1 Trichloroethane	NA_	NA	T	U226	See At	tachment	III-1			
Trichloroethane	NA	NA_	T	U228	See At	tachment	III-1		-	
2,4,5, Trichloropheno- xyacetic Acid	NA	NA	T	U232	See At	tachment	111-1			
Xylene	NA NA	NA.	<u>T</u>	U239	See At	tachment	 III-1			
Carbon Disulfide	NA	NA NA	Н	P022	See At	tachment	111-1			
etraethyl Lead	NA_	NA NA	Н	P110	See At	tachment	111-1			

<sup>1 &</sup>quot;Storage" means the interim containment or control of waste after generation and prior to ultimate disposal.

<sup>&</sup>lt;sup>2</sup> "Processing" means the extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of hazardous waste so as to render such waste nonhazardous, safer for transport, amenable for recovery, amenable for storage, or reduced volume. The "transfer" of solid waste for reuse or disposal as used above, does not include the actions of a certific in convenience.



PXD 00-078-2698

### ATTACHMENT I

	Relevant Program And/Or Law	Permit No.	Unit	Government Agency*
1.	Wastewater Disposal Under the Texas Water Code	00592	Wastewater System	TDWR
2.	NPDES Program Under the Clean Water Act	TX-0006271	Wastewater System	EPA
3.	Texas Solid Waste Disposal Act	Submitted Permit Application for TDWR Registration No. 30040	T/S/D Facilities of Hazardous Waste	TDWR
4.	Texas Clean Air Act	R-243 R-244 R-527 R-1384 R-1384	Sulfur Conversion Unit 1 Sulfur Conversion Unit 1 Flexicoking Unit Tank 1096 Tank 1095	TACB TACB TACB TACB
		R-1384 R-1384 R-1384	Tank 1089 Tank 1088 Tank 345	TACB TACB TACB
		R-1384 R-1384 R-1384	Tank 340 Tank 342 Tank 855	TACB TACB TACB
		R-1384 R-1384 R-1384	Tank 856 Tank 858 Tank 861	TACB TACB TACB
		R-1632 R-2007 R-2070	Hydrofining Unit 6 Pipe Still 8 Kerosine Hydrofiner	TACB TACB TACB
		R-2071 R-2072 R-2073	Light Gas Oil Hydrofiner Naphtha Hydrofiner Crude Light Ends	TACB TACB TACB
		R-2185 R-2210 R-2338	Hyd.oformer 4 BTFE Gas Turbine & WHB Gas Turbine	TACB TACB TACB
		R-2389	Generator 37/WHB 67 Residfiner 1 FCCU 3 Expansion	TACB TACB
		R-2665 R-2932 R-2977	Sulfur Conversion Unit 2 Gas Treating and	TACB TACB
		R-2978	Regeneration Sour Water Stripping BTFE	TACB

### ATTACHMENT I (CONTINUED,

Relevant Program And/Or Law	Permit No	. Unit	Government Agenc
	R-2979	Safety Flare System BTFE	TAGE
	R-2258	Ammonia Removal	TACB
		Facilities	TACB
	R-2522	Tank 348	5105
	R-2522	Tank 350	TACB
	R-2522	Tank 744	TACB
	R-2522	Tank 753	TACB
	R-2522	Tank 841	TACB
	R-2522	Tank 849	TACB
	R-2522	Tank 850	TACB
	R-2522	Tank 1093	TACB
	R-2521	Tank 1093	TACB :
	R-2752	Tank 321	TACB
	R-2752	Tank 322	TACB
	R-2752		TACB
	R-2752	Tank 323	TACB
	R-2752	Tank 344	TACB
	R-2752	Tank 346	TACB
	R-2752	Tank 347	TACB
	R-2752	Tank 740	TACB
	R-2752	Tank 743	TACB
		Tank 736	TACB
	R-2752	Tank 737	TACB
	R-2752	Tank 749	TACB
	R-2752	Tank 40	TACB
	R-2752	Tank 349	TACB
	R-2794	Hydrogen Generation	TACB
		Unit 1	11102
redge or Fill Permits Under			
ection 404 of the Clean Water	14394	NA**	CORDS
	13613	NA**	CORPS
	11752	NA**	CORPS
	10909	NA**	CORPS
	10133	NA**	CORPS
	9922	NA**	CORPS
	9684	NA**	CORPS
	9616	NA**	CORPS
	9569	NA**	CORPS
	9330	NA**	CORPS
	9101	NA**	CORPS
	9057	NA**	CORPS
	9056	NA**	CORPS
	7502	NA**	CORPS
	5772	NA**	CORPS
	5263	NA**	CORPS
	4658	NA**	CORPS
	4211	NA**	CORPS
	1960	NA**	CORPS
		MA	CORPS

<sup>\*</sup> TDWR = Texas Department of Water Resources EPA = Environmental Protection Agency TACB = Texas Air Control Board CORPS = United States Army Corps of Engineers

\*\* NA = Not Applicable

RBL:jmp 11/7/80